Freeform Search

Database:

```
US Pre-Grant Publication Full-Text Database
US Patents Full-Text Database
US OCR Full-Text Database
EPO Abstracts Database
JPO Abstracts Database
Derwent World Patents Index
IBM Technical Disclosure Bulletins
```

Term:

Display: [10] **Documents in** **Display Format:** [-] **Starting with Number** [1]

Generate: ○ Hit List ◉ Hit Count ○ Side by Side ○ Image

[Search] [Clear] [Interrupt]

Search History

DATE: **Friday, June 11, 2004**   Printable Copy   Create Case

Set Name side by side	Query	Hit Count	Set Name result se set
DB=PGPB,USPT; PLUR=YES; OP=ADJ			
L16	709/228.ccls.	1038	L16
L15	L14 and l3	12	L15
L14	709/246.ccls.	1056	L14
L13	select$4 same (network terminat$3 or network-terminat$4) near5 (device or gateway)	32	L13
L12	select$4 same (network terminat$3 or network-terminat$4) near5 (device or gateway) same (optimum or best or highest)	0	L12
L11	select$4 same(network terminat$3 or network-terminat$4) near5 (device or gateway) same (optimum or best or highest)	0	L11
L10	select$4 same(network terminat$3 or network-terminat$4) near5 (device or gateway) same (optimum or best or highest) near5 (qos or connection)	0	L10
L9	(end device or terminal or user) same select$4 same(network terminat$3 or network-terminat$4) near5 (device or gateway)	8	L9
L8	l7 and bluetooth	7	L8
L7	indirect interface	57	L7

L6	L3 same predtermined factor	0	L6
L5	L3 same (optimum or best or highest) same(qos or connection)	7	L5
L4	L3 with (optimum or best or highest) with (qos or connection)	6	L4
L3	(end device or terminal or user) with select$4 with (network terminat$3 or gateway)	823	L3
L2	(end device or terminal otr user) with select$4 with (network terminat$3 or gateway)	2	L2

DB=USPT; PLUR=YES; OP=ADJ

L1	(end device or terminal otr user) with select$4 with (network$terminat$3 device or gateway)	0	L1

END OF SEARCH HISTORY

Freeform Search

Database:
```
US Pre-Grant Publication Full-Text Database
US Patents Full-Text Database
US OCR Full-Text Database
EPO Abstracts Database
JPO Abstracts Database
Derwent World Patents Index
IBM Technical Disclosure Bulletins
```

Term:

Display: [10] **Documents in** <u>Display Format</u>**:** [TI] **Starting with Number** [1]

Generate: ○ Hit List ⊙ Hit Count ○ Side by Side ○ Image

[Search] [Clear] [Interrupt]

Search History

DATE: **Friday, June 11, 2004** <u>Printable Copy</u>   <u>Create Case</u>

<u>Set Name</u> side by side	<u>Query</u>	<u>Hit Count</u>	<u>Set Name</u> result se set
	DB=EPAB,JPAB,DWPI,TDBD; PLUR=YES; OP=ADJ		
<u>L19</u>	(end device or terminal or user) same select$4 same(network terminat$3 or network-terminat$4) near5 (device or gateway)	9	<u>L19</u>
	DB=PGPB,USPT; PLUR=YES; OP=ADJ		
<u>L18</u>	(end device or terminal or user) same select$4 same(network terminat$3 or network-terminat$4) near5 (device or gateway)	8	<u>L18</u>
	DB=EPAB,JPAB,DWPI,TDBD; PLUR=YES; OP=ADJ		
<u>L17</u>	select$4 same (network terminat$3 or network-terminat$4) near5 (device or gateway)	21	<u>L17</u>
	DB=PGPB,USPT; PLUR=YES; OP=ADJ		
<u>L16</u>	709/228.ccls.	1038	<u>L16</u>
<u>L15</u>	L14 and l3	12	<u>L15</u>
<u>L14</u>	709/246.ccls.	1056	<u>L14</u>
<u>L13</u>	select$4 same (network terminat$3 or network-terminat$4) near5 (device or gateway)	32	<u>L13</u>
<u>L12</u>	select$4 same (network terminat$3 or network-terminat$4) near5 (device or	0	<u>L12</u>

	gateway) same (optimum or best or highest)		
L11	select$4 same(network terminat$3 or network-terminat$4) near5 (device or gateway) same (optimum or best or highest)	0	L11
L10	select$4 same(network terminat$3 or network-terminat$4) near5 (device or gateway) same (optimum or best or highest) near5 (qos or connection)	0	L10
L9	(end device or terminal or user) same select$4 same(network terminat$3 or network-terminat$4) near5 (device or gateway)	8	L9
L8	17 and bluetooth	7	L8
L7	indirect interface	57	L7
L6	L3 same predtermined factor	0	L6
L5	L3 same (optimum or best or highest) same(qos or connection)	7	L5
L4	L3 with (optimum or best or highest) with (qos or connection)	6	L4
L3	(end device or terminal or user) with select$4 with (network terminat$3 or gateway)	823	L3
L2	(end device or terminal otr user) with select$4 with (network terminat$3 or gateway)	2	L2

DB=USPT; PLUR=YES; OP=ADJ

L1	(end device or terminal otr user) with select$4 with (network$terminat$3 device or gateway)	0	L1

END OF SEARCH HISTORY